

EXTREME ABUSE SURVEY

**Extreme Abuse Survey for Survivors (EAS) - Results
(Jan 1, 2007 – March 31, 2007)**

Copyrights are held by the survey team: Thorsten Becker
Wanda Karriker
Bettina Overkamp
Carol Rutz

Provided by S.P.ORG.-Consulting e.V. • Lueneburg, Germany

Extreme Abuse Survey (EAS) for Adult Survivors

*An International Online Survey
for Adult Survivors of Extreme Abuse
January 1 – March 31, 2007*

Results

2337 persons *viewed* the survey;
1719 in English,
618 in German.

1471 persons *answered at least one question* on the survey.
1121 in English,
350 in German

31 *countries* were declared by 1347 persons, 124 respondents did not name a country of residence:

- ◆ United States (774)
- ◆ Germany (273)
- ◆ United Kingdom (92)
- ◆ Canada (75)
- ◆ Australia (38)
- ◆ Switzerland (13)
- ◆ Israel (11)
- ◆ Norway (10)
- ◆ Austria (8)
- ◆ Netherlands (8)
- ◆ New Zealand (6)
- ◆ South Africa (6)
- ◆ Greece (5)
- ◆ Sweden (4)
- ◆ Armenia (3)
- ◆ India (3)
- ◆ Colombia (2)
- ◆ France (2)
- ◆ Spain (2)
- ◆ Belgium (1)
- ◆ Bulgaria (1)
- ◆ China (1)
- ◆ Czech Republic (1)
- ◆ Hong Kong (1)
- ◆ Ireland (1)
- ◆ Italy (1)
- ◆ Kyrgyzstan (1)
- ◆ Malaysia (1)
- ◆ Mexico (1)
- ◆ Romania (1)
- ◆ Saudi Arabia (1)

1190 respondents gave their *primary languages*, 281 respondents did not name their *primary languages*:

- | | |
|--------------------------|-------------------|
| ◆ English (852) | ◆ Estonian (2) |
| ◆ German (256) | ◆ Tamil (2) |
| ◆ Dutch (21) | ◆ Turkish (2) |
| ◆ Norwegian (10) | ◆ Armenian (1) |
| ◆ French (6) | ◆ Azerbaijani (1) |
| ◆ Hebrew (6) | ◆ Bengali (1) |
| ◆ Greek (5) | ◆ Czech (1) |
| ◆ Swedish (4) | ◆ Finnish (1) |
| ◆ Afrikaans (3) | ◆ Georgian (1) |
| ◆ Italian (3) | ◆ Korean (1) |
| ◆ Polish (3) | ◆ Persian (1) |
| ◆ Spanish (3) | ◆ Pashto (1) |
| ◆ Chinese Simplified (2) | ◆ Romanian (1) |

Survey Questions with Numbers / Percents of Respondents

N = number who responded to question

n / a = number who checked each part of a question

% = percent of Total N

Percents are rounded off to nearest percent; therefore, the total does not always equal 100%.

My gender:

(click on one response only)

My gender	N = 1440	
	n	%
female:	1169	81%
male:	254	18%
transgendered:	17	01%

My current age:

(click on one response only)

My current age	N = 1451	
	n	%
18 – 21:	98	07%
22 – 35:	333	23%
36 – 50:	581	40%
51 – 65:	401	28%
66+:	38	03%

My formal education:

(check one response only)

My formal education	N = 1446	
	n	%
Less than college:	173	12%
Some college:	458	32%
College degree:	416	29%
Graduate degree:	388	27%
No degree / No finished education: <i>(German only)</i>	11	01%

My current employment:

(check one response only)

My current employment	N = 1413	
	n	%
Disabled:	424	30%
Unemployed by choice:	171	12%
Part-time Public:	154	11%
Full-time Public:	398	28%
Self-employed:	266	19%

Time I have spent in “talk” therapy / counseling for extreme abuse issues:

(check one response only)

Time spent in “talk therapy” / counseling	N = 1448	
	n	%
None:	296	20%
Less than a year:	130	09%
1 – 4 years:	309	21%
5 – 9 years:	305	21%
10 – 19 years:	314	22%
20 – 29 years:	74	05%
30+ years:	20	01%

1. My memories of extreme abuse include . . .

(When responding to a specific item, check the most appropriate response . If you prefer not to respond to a specific item, or if its meaning is unclear or not applicable to your situation, you may choose “No Answer” (n/a) by clicking on the circle in front of the item.)

My Memories of extreme abuse include. . .	N	yes n (%)	no n (%)	don't know n (%)	n/a n (%)
Aversive hypnosis	1119	419 (37%)	233 (21%)	343 (31%)	124 (11%)
Being caged	1121	599 (53%)	298 (27%)	156 (14%)	68 (06%)
Being threatened with death if survivor ever talked about the abuse	1159	894 (77%)	134 (12%)	83 (07%)	48 (04%)
Bestiality	1122	584 (52%)	294 (26%)	185 (16%)	59 (05%)
Blinding lights	1112	591 (53%)	295 (27%)	168 (15%)	58 (05%)
Bondage	1125	752 (67%)	208 (18%)	115 (10%)	50 (04%)
Brain implants	1100	117 (11%)	590 (54%)	307 (28%)	86 (08%)
Brain stimulation	1124	403 (36%)	354 (31%)	283 (25%)	84 (07%)
Buried alive	1118	508 (45%)	388 (35%)	166 (15%)	56 (05%)
Dislocation of limbs	1104	283 (26%)	388 (48%)	166 (20%)	67 (06%)
Electronic harassment	1127	460 (41%)	353 (31%)	235 (21%)	79 (07%)
Electroshock	1119	558 (50%)	349 (31%)	157 (14%)	55 (05%)

Extreme Abuse Survey
Extreme Abuse Survey for Survivors (EAS) - Results

My Memories of extreme abuse include. . .	N	yes n (%)	no n (%)	don't know n (%)	n/a n (%)
Eugenics experiments	1091	90 (09%)	486 (45%)	405 (37%)	110 (10%)
Experiments with dolphins	1091	32 (03%)	767 (70%)	198 (18%)	94 (09%)
Experiments with non-human primates	1090	114 (10%)	686 (63%)	201 (18%)	89 (08%)
Forced abortion	1096	395 (36%)	491 (45%)	142 (13%)	68 (06%)
Forced cannibalism	1109	484 (44%)	425 (38%)	145 (13%)	55 (05%)
Forced drugging	1121	791 (71%)	182 (16%)	104 (09%)	44 (04%)
Forced impregnation	1108	416 (38%)	492 (44%)	133 (12%)	67 (06%)
Forced participation in murder by perpetrators	1095	502 (46%)	353 (32%)	185 (17%)	55 (05%)
Forced to abuse other victims	1113	615 (55%)	275 (25%)	178 (16%)	45 (04%)
Forced to murder (or survivor made to think he / she had murdered) a baby	1111	560 (50%)	359 (32%)	138 (12%)	54 (05%)
Forced to participate in animal mutilations/killings	1110	584 (53%)	319 (14%)	156 (14%)	51 (05%)
Incest	1122	780 (70%)	220 (20%)	80 (07%)	42 (04%)
Injection of painful eye drops	1094	207 (19%)	505 (46%)	318 (29%)	64 (06%)
"Marriage" to Satan	1100	419 (38%)	436 (40%)	184 (17%)	61 (06%)

Extreme Abuse Survey
Extreme Abuse Survey for Survivors (EAS) - Results

My Memories of extreme abuse include. . .	N	yes n (%)	no n (%)	don't know n (%)	n/a n (%)
Microwave abuse	1094	112 (10%)	602 (55%)	287 (26%)	93 (09%)
Survivor's own child murdered by his / her perpetrator(s)	1088	264 (24%)	636 (58%)	121 (11%)	67 (06%)
Near drowning experience caused by perpetrators	1109	565 (51%)	349 (31%)	146 (13%)	49 (04%)
Non-lethal weapons abuse	1101	545 (50%)	239 (22%)	240 (22%)	77 (07%)
Pornography (adult)	1093	396 (36%)	449 (41%)	190 (17%)	58 (05%)
Pornography (child)	1106	578 (52%)	305 (28%)	176 (16%)	47 (04%)
Prostitution (adult)	1068	261 (24%)	577 (54%)	163 (15%)	67 (06%)
Prostitution (child)	1094	500 (46%)	378 (35%)	167 (15%)	49 (04%)
Psychic driving	1093	287 (26%)	298 (27%)	375 (34%)	133 (12%)
Radiation exposure	1090	99 (09%)	569 (52%)	347 (32%)	75 (07%)
Receiving physical abuse from perpetrators	1129	966 (86%)	92 (08%)	35 (03%)	36 (03%)
Sensory deprivation	1099	670 (61%)	190 (17%)	165 (15%)	74 (07%)
Sexual abuse by multiple perpetrators	1125	890 (79%)	141 (13%)	59 (05%)	35 (03%)
Sleep deprivation	1118	771 (69%)	171 (15%)	131 (12%)	45 (04%)
Spinning	1094	491 (45%)	305 (28%)	221 (20%)	77 (07%)

Extreme Abuse Survey
Extreme Abuse Survey for Survivors (EAS) - Results

My Memories of extreme abuse include. . .	N	yes n (%)	no n (%)	don't know n (%)	n/a n (%)
Starvation	1098	532 (48%)	350 (32%)	168 (15%)	48 (04%)
Straight-jacketed	1087	267 (25%)	490 (45%)	272 (25%)	58 (05%)
UFO abduction	1074	60 (06%)	785 (73%)	166 (15%)	63 (06%)
Use of blood in abuse	1106	693 (63%)	263 (24%)	108 (10%)	42 (04%)
Use of feces in abuse	1106	603 (55%)	306 (28%)	147 (13%)	50 (05%)
Witnessing murder by perpetrators	1102	590 (54%)	319 (29%)	148 (13%)	45 (04%)
Witnessing animal mutilations / killings	1105	684 (62%)	263 (24%)	114 (10%)	44 (04%)
Witnessing physical abuse by perpetrators on other victims	1113	804 (72%)	189 (17%)	82 (07%)	38 (03%)
Other abuse(s)	1114	879 (79%)	75 (07%)	110 (10%)	50 (04%)

2. Some of the possible aftereffects of extreme abuse that I have experienced are . . .

Possible aftereffects of extreme abuse	N	yes n (%)	no n (%)	don't know n (%)	n/a n (%)
Art productions with abuse / torture themes	1064	554 (52%)	347 (33%)	121 (11%)	42 (04%)
Auto-immune disorders	1079	457 (42%)	377 (35%)	192 (18%)	53 (05%)
Beliefs indoctrinated by perpetrator(s)	1099	848 (77%)	140 (13%)	83 (08%)	28 (03%)
Cancer	1056	83 (08%)	809 (77%)	117 (11%)	47 (04%)
Dealing with programs installed by perpetrator(s)	1090	766 (16%)	170 (11%)	119 (70%)	35 (03%)
Dissociative flashbacks with satanic themes	1085	739 (68%)	257 (24%)	57 (05%)	32 (03%)
Eating disorder	1105	775 (70%)	246 (22%)	65 (06%)	19 (02%)
Fibromyalgia	1069	287 (27%)	564 (53%)	166 (16%)	52 (05%)
Foreign objects in body	1076	306 (28%)	528 (49%)	199 (18%)	43 (04%)
Hospitalization in a psychiatric unit	1093	592 (54%)	454 (42%)	24 (02%)	23 (02%)
Infertility	1070	172 (16%)	680 (64%)	179 (17%)	39 (04%)
Infliction of sexual pain on others	1068	204 (19%)	717 (67%)	107 (10%)	40 (04%)

Extreme Abuse Survey
Extreme Abuse Survey for Survivors (EAS) - Results

Possible aftereffects of extreme abuse	N	yes n (%)	no n (%)	don't know n (%)	n/a n (%)
Infliction of sexual pain on self	1076	520 (48%)	458 (43%)	66 (06%)	32 (03%)
Migraine headaches	1093	676 (62%)	349 (32%)	43 (04%)	25 (02%)
Multiple sclerosis	1054	20 (02%)	936 (89%)	62 (06%)	36 (03%)
Mysterious ailments for which a diagnosis cannot be made	1086	651 (60%)	323 (30%)	86 (08%)	26 (02%)
Painful body memories	1101	954 (87%)	87 (08%)	37 (03%)	23 (02%)
Posttraumatic stress disorder	1114	986 (89%)	69 (06%)	40 (04%)	19 (02%)
Seizures with no organic basis	1074	273 (25%)	676 (63%)	95 (09%)	30 (03%)
Self-mutilating behaviors	1095	715 (65%)	320 (29%)	34 (03%)	26 (02%)
Sexually-transmitted disease (s)	1068	228 (21%)	701 (66%)	108 (10%)	31 (03%)
Sexual urges triggered by feelings of threat, fear, shame, guilt, etc.	1085	701 (65%)	273 (25%)	86 (08%)	25 (02%)
Sleep problems	1118	1001 (90%)	82 (07%)	15 (01%)	20 (02%)
Soft, brittle teeth	1087	404 (37%)	567 (52%)	84 (07%)	32 (03%)
Substance abuse	1084	522 (48%)	481 (44%)	52 (05%)	29 (03%)
Suicidal thoughts around special holidays, birthdays, etc.	1097	778 (71%)	225 (21%)	70 (06%)	24 (02%)

Extreme Abuse Survey
Extreme Abuse Survey for Survivors (EAS) - Results

Possible aftereffects of extreme abuse	N	yes n (%)	no n (%)	don't know n (%)	n/a n (%)
Suicidal thoughts immediately before traumatic memories surface	1089	737 (68%)	222 (20%)	103 (09%)	27 (02%)
Survivor guilt	1102	806 (73%)	199 (18%)	75 (07%)	22 (02%)
Thyroid problems	1082	320 (30%)	541 (50%)	186 (17%)	35 (03%)
Unexplained bruises and wounds	1088	637 (59%)	361 (33%)	63 (06%)	27 (02%)
Unexplained external scarring	1072	478 (45%)	474 (44%)	88 (08%)	32 (03%)
Unexplained internal scarring	1064	349 (33%)	387 (36%)	290 (27%)	38 (04%)
Unusual fears	1110	946 (85%)	85 (08%)	58 (05%)	21 (02%)
Other possible aftereffects of Extreme Child Abuse	1088	827 (76%)	103 (09%)	125 (11%)	33 (03%)

3. My personal experiences as a survivor of extreme abuse are . . .

Personal experiences	N	yes n (%)	no n (%)	don't know n (%)	n/a n (%)
Secret government-sponsored mind control experiments were performed on me as a child.	1000	257 (26%)	444 (44%)	246 (25%)	53 (05%)
I have been diagnosed with DID (dissociative identity disorder / formerly multiple personality disorder)	1007	655 (65%)	273 (27%)	54 (05%)	25 (02%)
My perpetrator(s) deliberately created / programmed dissociative states of mind (such as alters, personalities, ego-states) in me.	1012	640 (63%)	163 (16%)	181 (18%)	28 (03%)
In my opinion, therapists / counselors / clergy should always take a neutral stance regarding the truth of survivors' memories.	1013	464 (46%)	280 (28%)	231 (23%)	38 (04%)
A therapist / counselor / clergy with whom I was in a professional relationship sexually exploited me.	1003	217 (22%)	699 (70%)	58 (06%)	29 (03%)
I am uncertain about the ideas, beliefs, and purpose of at least one group in which I was ritually abused.	994	471 (47%)	334 (34%)	122 (12%)	67 (07%)
I have heard Greek letters such as Alpha, Beta, Delta, Theta, Omega used in connection with my abuse.	1005	334 (33%)	425 (42%)	207 (21%)	39 (04%)
I was taken out of school to another location to be ritually abused and then returned to my school classroom.	989	238 (24%)	453 (46%)	265 (27%)	33 (03%)
I was taken out of school to another location for mind control programming, then returned to my school classroom.	988	203 (21%)	472 (48%)	278 (28%)	35 (04%)

Extreme Abuse Survey
Extreme Abuse Survey for Survivors (EAS) - Results

Personal experiences	N	yes n (%)	no n (%)	don't know n (%)	n/a n (%)
I have experienced basic mind control programming in the control personality.	998	435 (44%)	218 (22%)	272 (27%)	73 (07%)
I have experienced sexual mind control programming that was used by a handler for blackmail or personal use.	1001	415 (41%)	293 (29%)	244 (24%)	49 (05%)
I have experienced mind control programming through which I was trained to become an assassin.	994	175 (18%)	584 (59%)	190 (19%)	45 (05%)
I have experienced mind control programming designed to develop psychic abilities such as “psychic killing.”	989	203 (21%)	505 (51%)	233 (24%)	48 (05%)
I have experienced self-destruct programming installed in the event I began to remember the programming.	997	565 (57%)	227 (23%)	168 (17%)	37 (04%)
I have been given an assassination assignment by a mind control programmer.	988	117 (12%)	628 (64%)	196 (20%)	47 (05%)
I was ritually abused in a religious sect (a group made up of dissenters from an established form of faith such as a Christian sect).	993	390 (39%)	370 (37%)	195 (20%)	38 (04%)
I was ritually abused in a Fascist group (Neo-Nazi , KKK, White Supremacist or other group that considers itself the superior in race, creed, or origin).	988	215 (22%)	531 (54%)	205 (21%)	37 (04%)
Alternative healing methods have been more effective in helping me to heal than “talk therapy	999	308 (31%)	454 (45%)	191 (19%)	46 (05%)
As a child, I told an authority figure that I was being abused in what I now know was RA / MC.	993	278 (28%)	545 (55%)	139 (14%)	31 (03%)

Extreme Abuse Survey
Extreme Abuse Survey for Survivors (EAS) - Results

Personal experiences	N	yes n (%)	no n (%)	don't know n (%)	n/a n (%)
I was abused by at least one Catholic priest in connection with specific satanic rituals.	992	139 (14%)	632 (64%)	188 (19%)	33 (03%)
I was abused by at least one non-Catholic clergyperson in connection with specific satanic rituals (ENGLISH ONLY*) .	833	275 (33%)	316 (38%)	220 (26%)	22 (03%)
At least one of my perpetrators has been convicted of criminal abuse toward me.	992	70 (07%)	803 (81%)	94 (09%)	25 (03%)
Current access by RA / MC perpetrators involves harm to my physical / mental / spiritual well-being.	1002	345 (34%)	447 (45%)	145 (14%)	65 (06%)
Perpetrators have on at least one occasion made me believe that external entities/spirits/demons had taken over my body.	996	530 (53%)	287 (29%)	150 (15%)	29 (03%)
I had memories of government-sponsored mind control experimentation before I sought therapy / counseling.	989	175 (18%)	687 (69%)	75 (08%)	52 (05%)
I have sought help from the authorities regarding current abuse by RA / MC perpetrators.	997	193 (19%)	737 (74%)	17 (02%)	50 (05%)
Authorities have investigated claims I have made against my RA / MC perpetrators regarding current abuse.	991	64 (06%)	823 (83%)	28 (03%)	76 (08%)
I have received helpful treatment in a hospital when treated for the aftereffects of RA / MC.	989	188 (19%)	672 (68%)	41 (04%)	88 (09%)
I remember being used in government-sponsored mind control experiments in the United States.	989	234 (24%)	616 (62%)	84 (08%)	55 (06%)

Extreme Abuse Survey
Extreme Abuse Survey for Survivors (EAS) - Results

Personal experiences	N	yes n (%)	no n (%)	don't know n (%)	n/a n (%)
I remember being used in government-sponsored mind control experiments in Canada.	987	83 (08%)	767 (78%)	74 (08%)	63 (06%)
I remember being used in government-sponsored mind control experiments in a country other than the U.S. or Canada.	979	137 (14%)	689 (70%)	92 (09%)	61 (06%)
At least one of my mind control programmers spoke German or with a heavy German accent.	977	274 (28%)	470 (48%)	165 (17%)	68 (07%)
At least one of my perpetrators went by an alias but I now know who he / she really was.	989	303 (31%)	447 (45%)	176 (18%)	63 (06%)
I work in a professional role (other than as a therapist / counselor / clergy) with other survivors of RA/MC.	978	65 (07%)	851 (87%)	22 (02%)	40 (04%)
I have visited places I thought I had never been before and matched the actual place to my drawings and/or memories.	982	402 (41%)	453 (46%)	90 (09%)	37 (04%)
I have heard other survivors, whom I had not previously met, describe the same perpetrators of my own abuse.	986	337 (34%)	556 (56%)	65 (07%)	28 (03%)
I have heard other survivors, whom I had not previously met, describe the same places where I was abused.	978	312 (32%)	574 (59%)	62 (06%)	30 (03%)
I was subjected to government-sponsored mind control experimentation before I was born.	975	73 (07%)	533 (55%)	318 (33%)	51 (05%)
I was subjected to government-sponsored mind control experimentation at birth through 2 years.	975	139 (14%)	505 (52%)	279 (29%)	52 (05%)

Extreme Abuse Survey
Extreme Abuse Survey for Survivors (EAS) - Results

Personal experiences	N	yes n (%)	no n (%)	don't know n (%)	n/a n (%)
I was subjected to government-sponsored mind control experimentation at ages 3 through 6.	978	226 (23%)	479 (49%)	221 (23%)	52 (05%)
I was subjected to government-sponsored mind control experimentation at ages 7 through 13.	972	234 (24%)	488 (50%)	199 (20%)	51 (05%)
I was subjected to government-sponsored mind control experimentation at ages 14 through 17.	974	173 (18%)	539 (55%)	210 (22%)	52 (05%)
I was subjected to government-sponsored mind control experimentation at ages 18 through 30.	974	116 (12%)	604 (62%)	197 (20%)	57 (06%)
I was subjected to government-sponsored mind control experimentation at ages 31 or older.	972	91 (09%)	648 (67%)	172 (18%)	61 (06%)
I am currently being accessed / abused by RA/MC perpetrators against my will.	983	147 (15%)	653 (66%)	142 (14%)	41 (04%)
I was ritually abused in a satanic cult.	986	543 (55%)	261 (26%)	152 (15%)	30 (03%)
I was ritually abused in a Gnostic-occult group.	969	133 (14%)	458 (47%)	332 (34%)	46 (05%)
I was ritually abused in child pornography.	977	474 (49%)	287 (29%)	186 (19%)	30 (03%)
At least one group that abused me is national or international in scope.	980	451 (46%)	215 (22%)	287 (29%)	27 (03%)
I remember seeing perpetrators cloaked in black robes.	986	591 (60%)	271 (27%)	96 (10%)	28 (03%)
I remember seeing perpetrators cloaked in purple robes.	965	236 (24%)	513 (53%)	187 (19%)	29 (03%)

Extreme Abuse Survey
Extreme Abuse Survey for Survivors (EAS) - Results

Personal experiences	N	yes n (%)	no n (%)	don't know n (%)	n/a n (%)
I remember seeing perpetrators cloaked in white robes.	960	349 (36%)	434 (45%)	151 (16%)	26 (03%)
I remember seeing perpetrators dressed in costumes.	972	441 (45%)	367 (38%)	136 (14%)	28 (03%)
I remember seeing perpetrators wearing white doctors' coats.	969	506 (52%)	320 (33%)	119 (12%)	24 (02%)
The surname of at least one of my perpetrators was the same as a color.	964	224 (23%)	372 (39%)	335 (35%)	33 (03%)
One of my perpetrators went by the name, "Dr. Black."	965	100 (10%)	518 (54%)	304 (32%)	43 (04%)
One of my perpetrators went by the name, "Dr. Green."	963	124 (13%)	497 (52%)	297 (31%)	45 (05%)
One of my perpetrators went by the name, "Dr. White."	964	83 (09%)	509 (53%)	328 (34%)	44 (05%)
One of my perpetrators went by the name, "Dr. Swartz." (Dr. Schwarz")	962	47 (05%)	544 (57%)	326 (34%)	45 (05%)
One of my perpetrators went by the name, "Father Joseph."	961	68 (07%)	545 (57%)	307 (32%)	41 (04%)
One of my perpetrators went by the name "Vaterchen."	959	54 (06%)	562 (59%)	298 (31%)	45 (05%)
I have watched a person be flayed.	964	307 (32%)	387 (40%)	224 (23%)	46 (05%)
I have attempted suicide one or more times.	980	611 (62%)	311 (32%)	36 (04%)	22 (02%)
I have been transported out of my local area for purposes of RA / MC.	967	465 (48%)	289 (30%)	186 (19%)	27 (03%)
I have been transported out of my native country for purposes of RA / MC.	965	177 (18%)	559 (58%)	198 (21%)	31 (03%)
As a child, I fantasized that I was being tortured by doctors.	968	241 (26%)	544 (56%)	150 (16%)	33 (03%)

Extreme Abuse Survey
Extreme Abuse Survey for Survivors (EAS) - Results

Personal experiences	N	yes n (%)	no n (%)	don't know n (%)	n/a n (%)
I am able to speak and / or write in an unknown language and / or code.	969	269 (28%)	518 (53%)	152 (16%)	30 (03%)
I have been hospitalized because of the aftereffects of RA / MC.	971	419 (43%)	467 (48%)	50 (05%)	35 (04%)
My RA originated from my family of origin.	979	612 (63%)	229 (23%)	105 (11%)	33 (03%)
My MC originated from my family of origin.	956	410 (43%)	301 (31%)	187 (20%)	58 (06%)
At least one spiritual leader was involved in my RA / MC abuse.	960	438 (46%)	230 (24%)	252 (26%)	40 (04%)
One or more of my alters had access codes.	967	332 (34%)	286 (30%)	296 (31%)	53 (05%)
I have (or have had) at least one robot alter.	963	270 (28%)	398 (41%)	242 (25%)	53 (06%)
I have (or have had) at least one animal alter.	961	325 (34%)	382 (40%)	208 (22%)	46 (05%)
I have (or have had) at least one demon alter.	957	379 (40%)	316 (33%)	216 (23%)	46 (05%)
I had memories of incest before I sought therapy / counseling.	985	629 (64%)	297 (30%)	36 (04%)	23 (02%)
I had memories of ritual abuse before I sought therapy / counseling.	977	467 (48%)	415 (42%)	69 (07%)	26 (03%)
My programming included time-travel experiments.	958	146 (15%)	499 (52%)	272 (28%)	41 (04%)
I have been given a seduction assignment by a mind control programmer.	965	219 (23%)	447 (46%)	250 (26%)	49 (05%)
I have successfully sued my perpetrator(s) in civil court.	964	16 (02%)	914 (95%)	6 (01%)	28 (03%)
I have a spiritual belief system.	994	745 (75%)	169 (17%)	62 (06%)	18 (02%)

Extreme Abuse Survey
Extreme Abuse Survey for Survivors (EAS) - Results

Personal experiences	N	yes n (%)	no n (%)	don't know n (%)	n/a n (%)
I participate in an organized religion.	982	422 (43%)	525 (53%)	15 (02%)	20 (02%)
I am currently in psychotherapy / counseling for help with RA/MC issues.	979	562 (57%)	386 (39%)	9 (01%)	22 (02%)
I am a therapist/counselor/clergy for RA / MC survivors.	964	95 (10%)	839 (87%)	4 (.4%)	26 (03%)
I was subjected to RA/MC before I was born.	971	190 (20%)	380 (39%)	378 (39%)	23 (02%)
I was subjected to RA/MC at ages birth through 2 years.	970	481 (50%)	249 (26%)	216 (22%)	24 (02%)
I was subjected to RA/MC at ages 3 through 6.	982	686 (70%)	163 (17%)	111 (11%)	22 (02%)
I was subjected to RA/MC at ages 7 through 13.	982	677 (69%)	170 (17%)	112 (11%)	23 (02%)
I was subjected to RA/MC at ages 14 through 17.	976	494 (51%)	291 (17%)	166 (11%)	25 (03%)
I was subjected to RA/MC at ages 18 through 30.	967	333 (51%)	441 (30%)	167 (17%)	26 (03%)
I was subjected to RA/MC at ages 31 or older.	980	206 (21%)	600 (61%)	136 (14%)	38 (04%)
I was ritually abused in a witchcraft cult.	971	219 (23%)	479 (49%)	249 (26%)	24 (02%)
I was ritually abused in voodooism.	966	67 (07%)	660 (68%)	213 (22%)	26 (03%)
A circumcision (as genital mutilation) was performed on me.	965	82 (09%)	795 (82%)	58 (06%)	30 (03%)
* [Page 15, 2 nd row] Due to a translation error on the online version, responses in German for this question are invalid. N = number of responses in English					

4. OPTIONAL: My experiences with various healing methods for extreme abuse are . . .

(If you have never used a healing method listed below, check n/a. If you have used the healing method, rate it on a scale of 1 to 5 according to how helpful it has been in your healing.)

N = Number who answered the question

n / a = number who have not used the method

n_U = number who have used the method (percentages of help categories refer to this number)

Healing methods	N	n / a n (%)	Users n _U (100%)	great help n (%)	much help n (%)	some help n (%)	little help n (%)	no help n (%)
Acupuncture	954	603 (63%)	351	39 (11%)	50 (14%)	108 (31%)	47 (13%)	107 (30%)
Aromatherapy	958	517 (54%)	441	33 (07%)	56 (13%)	165 (37%)	92 (21%)	95 (22%)
Chiropractic	948	456 (48%)	492	58 (12%)	102 (21%)	157 (32%)	79 (16%)	96 (20%)
Homeopathy	951	530 (56%)	421	54 (13%)	69 (16%)	127 (30%)	84 (20%)	87 (21%)
Massage Therapy	959	355 (37%)	429	117 (19%)	147 (24%)	179 (30%)	85 (14%)	76 (13%)
Naturopathy	946	659 (70%)	287	33 (12%)	52 (18%)	94 (33%)	43 (15%)	65 (23%)
Nutrition & Diet Therapy	956	458 (48%)	498	92 (18%)	106 (21%)	147 (30%)	86 (17%)	67 (13%)
Occupational Therapy	941	641 (69%)	300	23 (08%)	39 (13%)	80 (27%)	61 (20%)	97 (32%)
Osteopathy	941	758 (81%)	183	20 (11%)	19 (10%)	35 (19%)	27 (15%)	82 (45%)

Extreme Abuse Survey
Extreme Abuse Survey for Survivors (EAS) - Results

Healing methods	N	n / a n (%)	Users n _u (100%)	great help n (%)	much help n (%)	some help n (%)	little help n (%)	no help n (%)
Physical Therapy	943	546 (58%)	397	39 (10%)	81 (20%)	114 (29%)	79 (20%)	84 (21%)
Abreactive Work	938	497 (53%)	441	128 (29%)	114 (26%)	99 (22%)	39 (09%)	61 (14%)
Art Therapy	954	306 (32%)	648	184 (28%)	186 (29%)	167 (26%)	69 (11%)	42 (06%)
Biofeedback	940	698 (74%)	242	30 (12%)	26 (11%)	47 (19%)	39 (16%)	100 (41%)
Clinical Hypnosis	938	585 (62%)	353	63 (18%)	50 (14%)	69 (20%)	60 (17%)	111 (31%)
Confronting Abuser(s)	942	508 (54%)	434	45 (10%)	52 (12%)	82 (19%)	88 (20%)	167 (38&)
Creative Writing	960	220 (23%)	740	262 (35%)	209 (28%)	177 (24%)	55 (07%)	37 (05%)
Dance Therapy	941	626 (67%)	315	61 (19%)	61 (19%)	78 (25%)	40 (13%)	75 (24%)
Deliverance	929	631 (68%)	298	84 (28%)	48 (16%)	37 (12%)	32 (11%)	97 (33%)
Formal Deprogramming	936	692 (74%)	244	83 (34%)	41 (17%)	27 (11%)	21 (09%)	72 (30%)
Drawing / Painting	956	212 (22%)	744	211 (28%)	208 (28%)	189 (25%)	95 (13%)	41 (06%)
Drumming	943	669 (71%)	274	56 (20%)	42 (15%)	66 (24%)	36 (13%)	74 (27%)
Electroshock Therapy	937	803 (86%)	134	5 (04%)	2 (01%)	6 (01%)	10 (07%)	111 (83%)

Extreme Abuse Survey
Extreme Abuse Survey for Survivors (EAS) - Results

Healing methods	N	n / a n (%)	Users n _u (100%)	great help n (%)	much help n (%)	some help n (%)	little help n (%)	no help n (%)
EMDR	939	608 (65%)	331	67 (20%)	50 (15%)	54 (16%)	52 (16%)	108 (33%)
Energy Therapies	936	638 (68%)	198	76 (26%)	68 (23%)	43 (14%)	32 (11%)	79 (27%)
Exorcism	930	731 (79%)	199	43 (22%)	14 (07%)	14 (07%)	10 (05%)	118 (59%)
Feldenkrais	928	782 (84%)	146	18 (12%)	11 (08%)	27 (19%)	16 (11%)	74 (51%)
Grounding Techniques	940	347 (37%)	593	153 (26%)	159 (27%)	159 (27%)	63 (11%)	59 (10%)
Group Psychotherapy	933	366 (39%)	567	66 (12%)	120 (21%)	158 (28%)	100 (18%)	123 (22%)
Hospitalization	939	399 (42%)	540	57 (11%)	82 (15%)	107 (20%)	103 (19%)	191 (35%)
Individual Psychotherapy / Counseling	962	70 (07%)	892	461 (52%)	211 (24%)	124 (14%)	43 (05%)	53 (06%)
Internet Support Group	952	352 (37%)	600	148 (25%)	138 (23%)	150 (25%)	94 (16%)	70 (12%)
Journaling	959	129 (13%)	830	296 (36%)	207 (25%)	196 (24%)	83 (10%)	48 (06%)
Left / Right Handwriting Techniques	470	0 (00%)*	470	99 (21%)	91 (19%)	120 (26%)	77 (16%)	83 (18%)
Local Survivor Support Group	938	519 (55%)	419	95 (23%)	80 (19%)	99 (24%)	54 (13%)	91 (22%)
Music Therapy	943	521 (55%)	422	108 (26%)	100 (24%)	109 (26%)	52 (12%)	53 (13%)

Extreme Abuse Survey
Extreme Abuse Survey for Survivors (EAS) - Results

Healing methods	N	n / a n (%)	Users n _u (100%)	great help n (%)	much help n (%)	some help n (%)	little help n (%)	no help n (%)
Neurofeedback	925	797 (86%)	128	18 (14%)	7 (05%)	18 (14%)	12 (09%)	73 (57%)
Non-suicide Contract with Therapist	937	439 (47%)	498	100 (20%)	103 (21%)	102 (20%)	59 (12%)	134 (27%)
Personal Prayer / Meditation	960	194 (20%)	766	308 (40%)	164 (21%)	160 (21%)	74 (10%)	60 (08%)
Physical Exercise	952	199 (21%)	753	190 (25%)	172 (23%)	225 (30%)	107 (14%)	59 (08%)
Psychodrama	928	631 (68%)	297	40 (13%)	54 (18%)	53 (18%)	48 (16%)	102 (34%)
Psychotropic Medications	936	416 (44%)	520	69 (13%)	99 (19%)	118 (23%)	79 (15%)	155 (30%)
Reading Survivor Stories	946	137 (14%)	809	136 (17%)	190 (23%)	271 (34%)	139 (17%)	73 (09%)
Reiki	929	623 (67%)	306	53 (17%)	51 (17%)	64 (21%)	51 (17%)	87 (28%)
Self-Care / Self-Soothing Techniques	933	194 (21%)	739	191 (26%)	197 (27%)	201 (27%)	105 (14%)	45 (06%)
Spiritual Guidance / Counseling	945	340 (36%)	605	192 (32%)	117 (19%)	119 (20%)	81 (13%)	96 (16%)
Supportive Family Members	957	372 (39%)	585	161 (28%)	112 (19%)	112 (19%)	77 (13%)	123 (21%)
Supportive Friends	969	124 (13%)	845	324 (38%)	236 (28%)	162 (19%)	79 (09%)	44 (05%)
Survivor Conferences	944	539 (57%)	405	90 (22%)	99 (24%)	106 (26%)	45 (11%)	65 (16%)

Extreme Abuse Survey
Extreme Abuse Survey for Survivors (EAS) - Results

Healing methods	N	n / a n (%)	Users n _u (100%)	great help n (%)	much help n (%)	some help n (%)	little help n (%)	no help n (%)
Swimming	940	484 (51%)	456	84 (18%)	83 (18%)	117 (26%)	79 (17%)	93 (20%)
Theophostic Prayer	925	718 (78%)	207	61 (29%)	27 (13%)	27 (13%)	13 (06%)	79 (38%)
Twelve-step Programs	938	576 (61%)	362	69 (19%)	44 (12%)	67 (19%)	49 (14%)	133 (37%)
Yoga	931	593 (64%)	338	57 (17%)	57 (17%)	72 (21%)	63 (19%)	89 (26%)
Other Method(s)	903	483 (53%)	420	176 (42%)	76 (18%)	90 (21%)	33 (08%)	45 (11%)

* [Page 23, 11th row]: No n / a responses were recorded for this statement. This is apparently computer error since it is not consistent with other patterns of responses on this section. The percents of methods used are considered valid.

5. The category of extreme abuse listed below that best describes my experience as a survivor is . . .

(check the most appropriate response – check one response only)

Category of extreme abuse	N = 987	
	n	%
Ritual Abuse	191	19%
Mind control	69	07%
Ritual Abuse and Mind Control	513	52%
Other Extreme Abuse	214	22%